

Shaoxing Shangyu Jiehua Chemical Co., Ltd.

Chemical Safety Data Sheet

Section 1 Product and Company Identification

Product Name Synthetic Magnesium Silicate Adsorbent

Manufacturer name SHAOXIN SHANGYU JIEHUA CHEMICAL CO., LTD.

Manufacturer address Weiyi East Road 1#, Hangzhou Bay Shangyu economic and

Technological Development Area, Zhejiang Province P. R. China

Manufacturer post code 312300

Manufacturer fax +86-575-82211434

Manufacturer email wangyan@shangyuchem.com/wjy-8012@163. com

Emergency number +86-532-83889090

Effective date Dec 28, 2015

Section 2 Hazards Identification

Hazard class and label elements of the substance according to GHS(the fifth revised edition):

GHS hazard class

Pictogram





Shaoxing Shangyu Jiehua Chemical Co., Ltd.

Sigmal Warning Hazard statement(s) H335 May cause respiratory irritation P210 Keep away from heat, hot surfaces, sparks, open flames and other **Precautionary statements** ignition sources. No smoking. Prevention P232 Protect from moisture. P233 Keep container tightly closed. P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P264 Wash thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P280 Wear protective gloves/protective clothing/eye protection/face protection. P301+P330+P331 IF SWALLOWED: Rinse mouth. Do not induce Response vomiting. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/doctor. P312 Call a POISON CENTER/doctor/if you feel unwell. P363 Wash contaminated clothing before reuse. P403+P233 Store in a well-ventilated place. Keep container tightly Storage closed. P405 Store locked up. P501 Dispose of contents/container in accordance with **Disposal**

local/regional/national/international regulations.



Shaoxing Shangyu Jiehua Chemical Co., Ltd.

Section 3 Composition/Information on Ingredients

Component	Concentration (%)	CAS No.	EC No.	
Magnesium Silicate	85-100	1343-88-0	215-681-1	
Water	≤15	7732-18-5	231-791-2	

Section 4 First Aid Measures

After skin contact Take off the contaminated clothing and shoes immediately. Wash off with soap

and plenty of water. Consult a physician.

After eye contact Rinse thoroughly with plenty of water for at least 15 minutes and consult a

physician.

After ingestion Do not induce vomiting. Never give anything by mouth to an unconscious person.

Rinse mouth with water. Consult a physician.

After inhalation Remove to fresh air. Oxygen if needed. Get immediate medical attention.

Section 5 Fire Fighting Measures

Hazardous products of combustion Magnesium Oxides, Silicon Oxides.

Extinguishing method Water spray.

Special protective equipment Wear protective clothing. Including helmet, self-contained

positive pressure or pressure demand breathing apparatus,

protective clothing and face mask.



Shaoxing Shangyu Jiehua Chemical Co., Ltd.

Section 6 Accidental Release Measure

Personal protective measuresUse personal protective equipment. Avoid dust formation.

Ensure adequate ventilation. Evacuate personnel to safe

areas. Avoid breathing dust.

Environmental protective measures Prevent further leakage or spillage if safe to do so. Do not

allow material to be released to the environment without

proper governmental permits.

Methods for taking in and cleaning up

Pick up and arrange disposal in suitable container and clean

contaminated surface thoroughly.

Section 7 Handling and Storage

Handling Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Provide

appropriate exhaust ventilation at places where dust is formed. Normal measures for

preventive fire protection.

Storage Store in cool place. Keep container tightly closed in a dry and well-ventilated place.

Containers which are opened must be carefully resealed and kept upright to prevent

leakage.

Section 8 Exposure Controls/Personal Protection

Engineering Controls Facilities storing or utilizing this material should be equipped with an

eyewash and a safety shower facility. Use adequate ventilation to keep

airborne concentrations low.

Respiratory protection When workers are facing concentrations above the exposure limit they must

use appropriate certified respirators.

Eye protection Use safety glasses with side shields or safety goggles as mechanical barrier

for prolonged exposure.

Hand Protection Wear appropriate chenlical resistant gloves.

Body protection Use clean protective body-covering as needed to minimize contact with

clothing and skin.



Shaoxing Shangyu Jiehua Chemical Co., Ltd.

Section 9 Physical and Chemical Properties

Appearance White freely flowing granule or

powder.

No data available

OdourNo data availableOdour ThresholdNo data available

pH 8∼10

Melting point/freezing point No data available Initial boiling point and boiling range No data available Flash point No data available No data available **Evaporation rate** Flammability (solid, gas) No data available Upper/lower flammability or explosive limits No data available Vapour pressure No data available No data available Vapour density 300~550 Relative density(g/L) Water solubility Insoluble

Autoignition temperatureNo data availableDecomposition temperatureNo data availableViscosityNo data available

Section 10 Stability and Reactivity

Reactive No data available.

Partition coefficient: noctanol/water

Chemical stability Stable under the condition recommended.

Possibility of hazardous reactionsNo data available.

Avoid conditionsIncompatible substance, moisture.Incompatible materialsAvoid contact with strong acids.

Hazardous decomposition products

Magnesium oxides and Silicon oxides.



Shaoxing Shangyu Jiehua Chemical Co., Ltd.

Section 11 Toxicological Information

Acute toxicity: No data available.

Skin corrosion/irritation: Causes skin irritation.

Serious eye damage/eye irritation: Cause serious eye damage.

Respiratory or skin sensitization: No data available.

Germ cell mutagenicity: No data available.

Carcinogenicity: No data available.

Reproductive toxicity: No data available.

Specific target organ toxicity – single exposure: No data available.

Specific target organ toxicity – repeated exposure: No data available.

Aspiration hazard: No data available.

Section 12 Ecological Information

Toxicity: No data available.

Persistence and degradability: No data available.

Bioaccumulative potential: No data available.

Mobility in soil: No data available.

Other adverse effects: No data available.

Section 13 Disposal Considerations

Property of waste: Hazardous Waste.

Methods of disposal: Dispose of in a manner consistent with federal, state, and local regulations.

Precautions of disposal: Professional processing together.



Shaoxing Shangyu Jiehua Chemical Co., Ltd.

Section 14 Transport Information

UN number: No data available.

UN proper shipping name: No data available.

Transportation primary hazard class: No data available.

Transportation secondary hazard class: No data available.

Packing group: No data available.

Section 15 Regulatory Information

Component	CHINA	TSCA	ENCS	EINECS
Magnesium Silicate	V	V	√	1
Water	V	V	√	V

Note 1:

CHINA - China Inventory of Existing Chemical Substances (**IECSC**)

TSCA - United States Inventory of Toxic Substances Control Act Chemical Substances (TSCA)

ENCS - Japan Existing and New Chemical Substances (ENCS)

EINECS - European Inventory of Existing Commercial Chemical Substances (EINECS)

Note 2:

Section 16 Additional Information

This Safety Data Sheet (SDS) was prepared according to UN GHS (the fifth revised edition), is only for users reference. Users should make their independent judgment of suitability of these information for their particular purposes.

[&]quot; $\sqrt{}$ " Indicates that the substance included in the regulations

[&]quot;-" That no data or included in the regulations